

County of Tehama
Department of Environmental Health
633 Washington St., Rm 36
Red Bluff CA 96080
Phone # (530) 527-8020
www.co.tehama.ca.us

OFFICIAL FOOD INSPECTION REPORT



Tim Potanovic, REHS - Director

Facility Name	: BOAR HUNTER BBQ	Owner	: JEFF TAUSCH
Site Address	: 158 MAIN ST	Owner Address	: 21630 SACRAMENTO AVE
Facility ID	: FA0000046	Inspector	: EE0000017 - Jana Gosselin
Record ID	: PR0002748	Inspector Phone	: Not Specified
License/Permit Number	: PT0002966	Program:	: 1623 - Restaurant <2000 Sq. Feet
Person in Charge	:		:
Inspection Date	: 3/11/2021	Total Inspection Time	: 45 min.
Inspection Number	: DA0008583	Result	: 01 - Meets Standards
Purpose of Inspection	: 102 - Routine Inspection		

An inspection of your property revealed the following violations. Please note the date for reinspection. Thank you for your cooperation.

Inspection Violations

ALL FOOD CONTACT SURFACES SHALL BE KEPT CLEANED AND SANITIZED - 16 14

"Comply by Date" Not Specified

Not In Compliance

Violation Description:

All food contact surfaces of utensils and equipment shall be clean and sanitized. (113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101 (b-d), 114105, 114109, 114111, 114113, 114115 (a, b, d), 114117, 114125(b), 114141)

Corrective Description:

Inspector Comments:

Please increase frequency of cleaning and sanitizing soda nozzles.

PROPER BACKFLOW PROTECTION - 16 41

"Comply by Date" Not Specified

Not In Compliance

Violation Description:

The potable water supply shall be protected with a backflow or back siphonage protection device, as required by applicable plumbing codes. (114192) All plumbing and plumbing fixtures shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Any hose used for conveying potable water shall be of approved materials, labeled, properly stored, and used for no other purpose. (114171, 114189.1, 114190, 114193, 114193.1, 114199, 114201, 114269)

Corrective Description:

Inspector Comments:

Floor drain at soda machine in need of a good scrubbing.

WAREWASHING FACILITIES SHALL BE WORKING CORRECTLY AND HAVE TESTING MATERIALS TO VERIFY CHEMICAL CONC - 16 34

"Comply by Date" Not Specified

Not In Compliance

Violation Description:

Food facilities that prepare food shall be equipped with warewashing facilities. Testing equipment and materials shall be provided to measure the applicable sanitization method. (114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125)

Corrective Description:

Inspector Comments:

Please have sanitizer test strips on site and available at all times.

Overall Inspection Comments

The restaurant looks good. Please implement changes as discussed, including display of permit and food safety manager's certificate. Thank you.
Food Safety holder: Jeff Tausch

Received By:

Date

Jana Gosselin

Date