


County of Tehama
Department of Environmental Health
633 Washington St., Rm 36
Red Bluff CA 96080
Phone # (530) 527-8020
www.co.tehama.ca.us

OFFICIAL FOOD INSPECTION REPORT



Tim Potanovic, REHS - Director

Facility Name	: DENNY'S	Owner	: CENTRAL VALLEY DINER
Site Address	: 2120 SOUTH AVE	Owner Address	: 3550 MOWRY AVE
Facility ID	: FA0001103	Inspector	: EE0000005 - Tia Branton
Record ID	: PR0001857	Inspector Phone	: (530) 527-8020
License/Permit Number	: 8453-16F-1	Program:	: 1624 - Restaurant 2000 Sq.
Person in Charge	:		: Feet-6000 Sq. Feet
Inspection Date	: 12/5/2019	Total Inspection Time	: 60 min.
Inspection Number	: DA0007343	Result	: 04 - Major Violations
Purpose of Inspection	: 102 - Routine Inspection		

An inspection of your property revealed the following violations. Please note the date for reinspection. Thank you for your cooperation.

Inspection Violations

ALL FOOD CONTACT SURFACES SHALL BE KEPT CLEANED AND SANITIZED - 16 14

"Comply by Date" Not Specified

Not In Compliance

Violation Description:

All food contact surfaces of utensils and equipment shall be clean and sanitized. (113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101 (b-d), 114105, 114109, 114111, 114113, 114115 (a, b, d), 114117, 114125(b), 114141)

Corrective Description:

Inspector Comments:

LIQUID WASTE MUST BE DISPOSED OF PROPERLY - 16 22

"Comply by Date" Not Specified

Not In Compliance

Violation Description:

All liquid waste must drain to an approved fully functioning sewage disposal system. (114197)

Corrective Description:

Inspector Comments:

Handwashing sink not draining in waitress prep area. MUST BE REPAIRED IMMEDIATELY.
Handwashing sink nearest tables not connected to plumbing...AGAIN. Remove sink or turn water off to sink

ALL NONFOOD CONTACT SURFACES SHALL BE KEPT CLEAN - 16 33

"Comply by Date" Not Specified

Not In Compliance

Violation Description:

All nonfood contact surfaces of utensils and equipment shall be clean. (114115 (c))

Corrective Description:

Inspector Comments:

Floors and Coveing VERY VERY DIRTY. CLEAN IMMEDIATELY!

Overall Inspection Comments

Facility very very dirty with MAJOR plumbing issues. Reinspect in 2 weeks.

Tia Branton

Received By: _____

Date _____

Tia Branton

Date _____