

County of Tehama  
Department of Environmental Health  
633 Washington St., Rm 36  
Red Bluff CA 96080  
Phone # (530) 527-8020  
www.co.tehama.ca.us

## OFFICIAL FOOD INSPECTION REPORT



Tim Potanovic, REHS - Director

|                       |                            |                       |                                    |
|-----------------------|----------------------------|-----------------------|------------------------------------|
| Facility Name         | : E'S LOCKER ROOM          | Owner                 | : ES LOCKER ROOM                   |
| Site Address          | : 1075 LAKESIDE DR         | Owner Address         | : 1075 LAKESIDE DR                 |
| Facility ID           | : FA0000527                | Inspector             | : EE0000001 - David Brower         |
| Record ID             | : PR0000135                | Inspector Phone       | : Not Specified                    |
| License/Permit Number | : 2077-16F-1               | Program:              | : 1623 - Restaurant <2000 Sq. Feet |
| Person in Charge      | :                          |                       | :                                  |
| Inspection Date       | : 1/30/2020                | Total Inspection Time | : 55 min.                          |
| Inspection Number     | : DA0007419                | Result                | : 01 - Meets Standards             |
| Purpose of Inspection | : 102 - Routine Inspection |                       |                                    |

An inspection of your property revealed the following violations. Please note the date for reinspection. Thank you for your cooperation.

### Inspection Violations

**WAREWASHING FACILITIES SHALL BE WORKING CORRECTLY AND HAVE TESTING MATERIALS TO VERIFY CHEMICAL CONC - 16 34**

**"Comply by Date" Not Specified**

Not In Compliance

*Violation Description:*

Food facilities that prepare food shall be equipped with warewashing facilities. Testing equipment and materials shall be provided to measure the applicable sanitization method. (114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125)

*Corrective Description:*

*Inspector Comments:*

No test strips for disinfectant. Provide test strips!!

### Overall Inspection Comments

Received By: \_\_\_\_\_

Date \_\_\_\_\_

David Brower \_\_\_\_\_

Date \_\_\_\_\_