


County of Tehama
Department of Environmental Health
633 Washington St., Rm 36
Red Bluff CA 96080
Phone # (530) 527-8020
www.co.tehama.ca.us

OFFICIAL FOOD INSPECTION REPORT



Tim Potanovic, REHS - Director

Facility Name	: JACK IN THE BOX #3403	Owner	: FOOD SERVICE MANAGEMENT INC
Site Address	: 1075 S MAIN ST	Owner Address	: 2251 DOUGLAS BLVD
Facility ID	: FA0000552	Inspector	: EE0000005 - Tia Branton
Record ID	: PR0000166	Inspector Phone	: (530) 527-8020
License/Permit Number	: 2133-16F-1	Program:	: 1623 - Restaurant <2000 Sq. Feet
Person in Charge	:		:
Inspection Date	: 12/18/2018	Total Inspection Time	: 60 min.
Inspection Number	: DA0006491	Result	: 04 - Major Violations
Purpose of Inspection	: 102 - Routine Inspection		

An inspection of your property revealed the following violations. Please note the date for reinspection. Thank you for your cooperation.

Inspection Violations

ALL FOOD CONTACT SURFACES SHALL BE KEPT CLEANED AND SANITIZED - 16 14

"Comply by Date" Not Specified

Not In Compliance

Violation Description:

All food contact surfaces of utensils and equipment shall be clean and sanitized. (113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101 (b-d), 114105, 114109, 114111, 114113, 114115 (a, b, d), 114117, 114125(b), 114141)

Corrective Description:

Inspector Comments:

All microwaves dirty but clean at time of inspection. Cabinets and shelving also dirty.

WAREWASHING FACILITIES SHALL BE WORKING CORRECTLY AND HAVE TESTING MATERIALS TO VERIFY CHEMICAL CONC - 16 34

"Comply by Date" Not Specified

Not In Compliance

Violation Description:

Food facilities that prepare food shall be equipped with warewashing facilities. Testing equipment and materials shall be provided to measure the applicable sanitization method. (114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125)

Corrective Description:

Inspector Comments:

FRP behind dishwasher moldy and worn out (paint did not help). Shall be replaced. FRP around mop sink has reached its end of life and must be replaced as well. Sink had very bad leak...but staff said that maintenance person was "in route"

ALL UTENCILS AND EQUIPMENT SHALL BE APPROVED, AND FUNCTIONING PROPERLY - 16 35

"Comply by Date" Not Specified

Not In Compliance

Violation Description:

All utensils and equipment shall be fully operative and in good repair. (114175) All utensils and equipment shall be approved, installed properly, and meet applicable standards. (114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114177, 114180, 114182)

Corrective Description:

Inspector Comments:

Walk in freezer not working properly. Shall be replaced or repaired immediately!

Overall Inspection Comments

Reinspection in 1 month.

Tia Branton

Received By:

Date

Tia Branton

Date