

County of Tehama
Department of Environmental Health
633 Washington St., Rm 36
Red Bluff CA 96080
Phone # (530) 527-8020
www.co.tehama.ca.us

OFFICIAL FOOD INSPECTION REPORT



Tim Potanovic, REHS - Director

| | | | |
|-----------------------|------------------------------|-----------------------|----------------------------------|
| Facility Name | : JACKSON HEIGHTS ELEMENTARY | Owner | : RED BLUFF UNION SCHOOL DIST |
| Site Address | : 225 S JACKSON ST | Owner Address | : 1535 DOUGLASS ST |
| Facility ID | : FA0000555 | Inspector | : EE0000005 - Tia Branton |
| Record ID | : PR0000169 | Inspector Phone | : (530) 527-8020 |
| License/Permit Number | : 2136-16F-1 | Program: | : 1635 - School Cafeteria/Senior |
| Person in Charge | : | | : Program |
| Inspection Date | : 4/18/2018 | Total Inspection Time | : 60 min. |
| Inspection Number | : DA0005834 | Result | : 02 - Failed To Meet Standards |
| Purpose of Inspection | : 102 - Routine Inspection | | |

An inspection of your property revealed the following violations. Please note the date for reinspection. Thank you for your cooperation.

Inspection Violations

POTENTIALLY HAZARDOUS FOODS HOLD TEMPERATURES - 16 7

"Comply by Date" Not
Specified

Not In Compliance

Violation Description:

Potentially hazardous foods shall be held at or below 41/ 45°F or at or above 135°F. (113996, 113998, 114037, 114343(a))

Corrective Description:

Inspector Comments:

Milk case and walk-in refrigerator BOTH NOT ABLE TO MAINTAIN TEMPERATURE. MUST NOT BE USED UNTIL CAN HOLD LESS THAN 41 DEGREES F.

ALL FOOD CONTACT SURFACES SHALL BE KEPT CLEANED AND SANITIZED - 16 14

"Comply by Date" Not
Specified

Not In Compliance

Violation Description:

All food contact surfaces of utensils and equipment shall be clean and sanitized. (113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101 (b-d), 114105, 114109, 114111, 114113, 114115 (a, b, d), 114117, 114125(b), 114141)

Corrective Description:

Inspector Comments:

Walk-in refrigerator very dirty. Floors and walls shall be scrubbed. All rusty shelving shall be repaired/replaced.

Overall Inspection Comments

All refrigeration until/freezers very full and unorganized.

Tia Branton

Received By:

Date

Tia Branton

Date