


County of Tehama  
Department of Environmental Health  
633 Washington St., Rm 36  
Red Bluff CA 96080  
Phone # (530) 527-8020  
www.co.tehama.ca.us

## OFFICIAL FOOD INSPECTION REPORT



Tim Potanovic, REHS - Director

Facility Name	: MCDONALD'S	Owner	: MJROBIK, INC
Site Address	: 215 ANTELOPE BLVD	Owner Address	: 871 MISSLE TOE LN
Facility ID	: FA0000589	Inspector	: EE0000017 - Jana Gosselin
Record ID	: PR0000209	Inspector Phone	: Not Specified
License/Permit Number	: 2191-16F-1	Program:	: 1624 - Restaurant 2000 Sq. Feet-6000 Sq. Feet
Person in Charge	:	Total Inspection Time	: 45 min.
Inspection Date	: 12/8/2020	Result	: 01 - Meets Standards
Inspection Number	: DA0008401		
Purpose of Inspection	: 102 - Routine Inspection		

An inspection of your property revealed the following violations. Please note the date for reinspection. Thank you for your cooperation.

### Inspection Violations

#### HAND WASHING FACILITIES REQUIRED - 16 6

"Comply by Date" Not Specified

Not In Compliance

*Violation Description:*

Handwashing soap and towels or drying device shall be provided in dispensers; dispensers shall be maintained in good repair. (113953.2)  
Adequate facilities shall be provided for hand washing, food preparation and the washing of utensils and equipment. (113953, 113953.1, 114067(f))

*Corrective Description:*

*Inspector Comments:*

Front handwashing sink blocked, no soap and no paper towels. Please make sure this handwashing sink is properly stocked and available at all times. It is the only place that the front line workers can wash their hands.

#### WAREWASHING FACILITIES SHALL BE WORKING CORRECTLY AND HAVE TESTING MATERIALS TO VERIFY CHEMICAL CONC - 16 34

"Comply by Date" Not Specified

Not In Compliance

*Violation Description:*

Food facilities that prepare food shall be equipped with warewashing facilities. Testing equipment and materials shall be provided to measure the applicable sanitization method. (114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125)

*Corrective Description:*

*Inspector Comments:*

Dishwasher sanitizer concentration not correct. Please repair immediately.

### Overall Inspection Comments

Please increase frequency of ice machine cleanings. Thank you.

Received By:

Date

Jana Gosselin

Date