

County of Tehama
Department of Environmental Health
633 Washington St., Rm 36
Red Bluff CA 96080
Phone # (530) 527-8020
www.co.tehama.ca.us

OFFICIAL FOOD INSPECTION REPORT



Tim Potanovic, REHS - Director

Facility Name	: WOODSON BRIDGE RV PARK	Owner	: WOODSON BRIDGE RV PARK
Site Address	: 25433 SOUTH AVE	Owner Address	: 25433 SOUTH AVE
Facility ID	: FA0000652	Inspector	: EE0000015 - Jenna Longchamps
Record ID	: PR0000297	Inspector Phone	: Not Specified
License/Permit Number	: 2309-16F-1	Program:	: 1640 - Limited Food Prep (Coffee Stand/Hotel)
Person in Charge	:	Total Inspection Time	: 45 min.
Inspection Date	: 1/14/2019	Result	: 03 - Minor Violations
Inspection Number	: DA0006530		
Purpose of Inspection	: 102 - Routine Inspection		

An inspection of your property revealed the following violations. Please note the date for reinspection. Thank you for your cooperation.

Inspection Violations

ALL VENTILATION SHALL MEET REQUIREMENTS - 16 38B

"Comply by Date" Not Specified

Not In Compliance

Violation Description:

Exhaust hoods shall be provided to remove toxic gases, heat, grease, vapors and smoke and be approved by the local building department. Canopy-type hoods shall extend 6# beyond all cooking equipment. All areas shall have sufficient ventilation to facilitate proper food storage. Toilet rooms shall be vented to the outside air by a screened openable window, an air shaft, or a light-switch activated exhaust fan, consistent with local building codes. (114149, 114149.1)

Corrective Description:

Inspector Comments:

Bathroom does not have a window, so must have a functioning exhaust fan; Please repair.

ALL FOOD SHALL BE SEPERATED AND PROTECTED FROM CONTAMINATION - 16 27

"Comply by Date" Not Specified

Not In Compliance

Violation Description:

All food shall be separated and protected from contamination. (113984 (a, b, c, d, f), 113986, 114060, 114067(a, d, e, j), 114069(a, b), 114077, 114089.1 (c), 114143 (c))

Corrective Description:

Inspector Comments:

Raw eggs were displayed on the top shelf of refrigeration unit, above ready to eat foods; Raw eggs must be stored below these foods; Corrected at time of inspection.

Overall Inspection Comments

Received By:

Date

Jenna Longchamps

Date