

County of Tehama
Department of Environmental Health
633 Washington St., Rm 36
Red Bluff CA 96080
Phone # (530) 527-8020
www.co.tehama.ca.us

OFFICIAL FOOD INSPECTION REPORT



Tim Potanovic, REHS - Director

Facility Name	: STARBUCKS COFFEE COMPANY #24030	Owner	: STARBUCKS COFFEE COMPANY #24030
Site Address	: 265 ANTELOPE BLVD	Owner Address	: 2401 S UTAH AVE SSDIO
Facility ID	: FA0001293	Inspector	: EE0000019 - David Lopez
Record ID	: PR0002273	Inspector Phone	: Not Specified
License/Permit Number	: PT0002364	Program:	: 1623 - Restaurant <2000 Sq. Feet
Person in Charge	:		:
Inspection Date	: 3/11/2021	Total Inspection Time	: 45 min.
Inspection Number	: DA0008588	Result	: 03 - Minor Violations
Purpose of Inspection	: 102 - Routine Inspection		

An inspection of your property revealed the following violations. Please note the date for reinspection. Thank you for your cooperation.

Inspection Violations

PROPER DISPOSAL OF FOOD WASTE AND RUBBISH - 16 42

"Comply by Date" Not Specified

Not In Compliance

Violation Description:

All food waste and rubbish shall be kept in leak proof and rodent proof containers. Containers shall be covered at all times. All waste must be removed and disposed of as frequently as necessary to prevent a nuisance. The exterior premises of each food facility shall be kept clean and free of litter and rubbish. (114244, 114245, 114245.1, 114245.2, 114245.3, 114245.4, 114245.5, 114245.6, 114245.7, 114245.8)

Corrective Description:

Inspector Comments:

Large accumulation of trash in back room with trash cans piled high.

FOOD SHALL BE KEPT IN APPROVED CONTAINERS, LABELED AND STORED OFF OF FLOOR - 16 30

"Comply by Date" Not Specified

Not In Compliance

Violation Description:

Food shall be stored in approved containers and labeled as to contents. Food shall be stored at least 6# above the floor on approved shelving. (114047, 114049, 114051, 114053, 114055, 114067(h), 114069 (b))

Corrective Description:

Inspector Comments:

Observed food packages on wet ground in back storage area. Maintain food packaging at east 6 inches off the ground at all time.

FOOD TRAINING - 16 1

"Comply by Date" Not Specified

Not In Compliance

Violation Description:

All food employees shall have adequate knowledge of and be trained in food safety as it relates to their assigned duties. (113947) Food facilities that prepare, handle or serve non-prepackaged potentially hazardous food, shall have an employee who has passed an approved food safety certification examination. (113947-113947.1)

Corrective Description:

Inspector Comments:

Have all employee food handler cards up to date. Have manager complete Safe Serv food handling course within 30 days.

TOILET FACILITY MUST BE CLEAN, SUPPLIED AND PROPERLY CONSTRUCTED - 16 43

"Comply by Date" Not Specified

Not In Compliance

Violation Description:

Toilet facilities shall be maintained clean, sanitary and in good repair. Toilet rooms shall be separated by a well-fitting self-closing door. Toilet tissue shall be provided in a permanently installed dispenser at each toilet. The number of toilet facilities shall be in accordance with local building and plumbing ordinances. Toilet facilities shall be provided for patrons: in establishments with more than 20,000 sq ft.; establishments offering on-site liquor consumption. (114250, 114250.1, 114276)

Corrective Description:

County of Tehama
Department of Environmental Health
633 Washington St., Rm 36
Red Bluff CA 96080
Phone # (530) 527-8020
www.co.tehama.ca.us

OFFICIAL FOOD INSPECTION REPORT



Tim Potanovic, REHS - Director

Facility Name : STARBUCKS COFFEE COMPANY #24030
Site Address : 265 ANTELOPE BLVD

Owner : STARBUCKS COFFEE COMPANY #24030
Owner Address : 2401 S UTAH AVE SSDIO

Inspector Comments:

Sanitary single use paper towels shall be stocked at all times.

ALL FOOD CONTACT SURFACES SHALL BE KEPT CLEANED AND SANITIZED - 16 14

"Comply by Date" Not Specified

Not In Compliance

Violation Description:

All food contact surfaces of utensils and equipment shall be clean and sanitized. (113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101 (b-d), 114105, 114109, 114111, 114113, 114115 (a, b, d), 114117, 114125(b), 114141)

Corrective Description:

Inspector Comments:

Observed algae build up in pre-filter of water filtration system. Maintain clean working equipment at all times.

Overall Inspection Comments

Received By:

Date

David Lopez

Date